

INTRODUCTION

A truly dynamic knee for dynamic lifestyles. RHEO KNEE is the choice for moderate to active above-knee amputees wanting a dynamic, zestful way of life.

KEY FEATURES

- Compatible with any Össur foot, even standard height feet.
- Cutting edge magnetorheologic technology produces “zero lag” actuation- users never wait for the knee to catch up to them like with traditional hydraulic cylinder MPKs.
- Automatic stumble recovery helps reduce chances of falling and increases user confidence..
- Easy swing initiation enables a smoother gait, even in crowds and tight spaces (no manual adjustments for toe load required).
- Artificial Intelligence automatically adapts to more user gaits and cadences for flexibility and user confidence.
- Smooth, consistent swing resistance produces fast swing speed and user confidence.
- Proportional stance resistance enables more natural motion and freedom of movements.
- Anatomical shape simplifies cosmetic finishing.
- Fast and easy set up; no manual adjustments required.
- RHEOLOGIC Workbench software offers unmatched ability to document users’ actual cadence variation and K3 performance over time, enabling you to better manage reimbursement risk.



COMPATIBLE WITH A WIDE VARIETY OF DYNAMIC FLEX-FOOT FEET





USER INFORMATION

Amputation Level:	Transfemoral
Impact Level:	Low to Moderate
Maximum Patient Weight:	125kg (275lbs)


KNEE INFORMATION

Weight of Knee:	1.52kg (3.35lbs)
Build Height:	236mm (9 1/4")
Knee Flexion:	120°
Aluminum Frame Construction	
Internal Extension Assist	




CLEARANCE

RHEO KNEE



RHEO KNEE WITH THREADED TOP ADAPTER (A - 145310)



KITS

RHEO KNEE KIT

PART#	DESCRIPTION
RKN120003	RHEO KNEE Kit EU
RKN120007	RHEO KNEE Kit NA

Includes:

- RHEO KNEE
- RHEO KNEE Charger
- Calibration Note
- Warranty Certificate
- User Manual & Information DVD
- Technical Manual
- Quick Reference Card



RHEO KNEE KIT WITH THREADED TOP ADAPTER:

RHEO KNEE with threaded top adapter is the solution for knee disarticulation amputees and those with long residual limbs.

To order RHEO KNEE with threaded top adapter, order the RHEO KNEE Kit and add Össur's Female Pyramid Insert to the order.



PART#	DESCRIPTION	HEIGHT		WEIGHT	
A-145310	Female Pyramid Insert / Threaded Top Adapter	9mm	3/8"	33g	1.16oz

RHEO KNEE ACCESSORIES

PART#	DESCRIPTION
RKNLPC401	RHEOLOGIC 4.0.1 Software
RKNLPCWB1	RHEOLOGIC Workbench Software

PART#	DESCRIPTION
RKN120013	RHEO KNEE Extended Warranty EU 5 Years
RKN120017	RHEO KNEE Extended Warranty NA 5 Years

PART#	DESCRIPTION
PRX00421	Power Supply w/Plug

